

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Previously Presented) A storage wrap material according to Claim 81, wherein the adhesion peel force after activation by a user is sufficient to form a continuous seal against a target surface.
2. (Original) The storage wrap of Claim 1, wherein said active side is activatable by an externally applied force exerted upon said sheet of material.
3. (Original) The storage wrap of Claim 2, wherein said active side is activatable by a compressive force.
4. (Original) The storage wrap of Claim 3, wherein said compressive force is required to be at least about 0.1 psi to activate said active side.
5. (Original) The storage wrap of Claim 3, wherein said compressive force is exerted in a direction substantially normal to said sheet of material.
6. (Previously Presented) The storage wrap of Claim 2, wherein said active side is activatable by a tensile force.
7. (Original) The storage wrap of Claim 6, wherein said tensile force is required to be at least about 0.80 pounds per inch of strip width to activate said active side.
8. (Original) The storage wrap of Claim 6, wherein said tensile force is exerted in a direction substantially parallel to said sheet of material.
9. (Original) The storage wrap material of Claim 1, wherein said active side exhibits an adhesion peel force of at least about 1 ounce per inch width after activation by a user.
10. (Original) The storage wrap material of Claim 1, wherein said active side may be selectively activated in discrete regions by a user.

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

11. (Original) The storage wrap material of Claim 1, wherein said adhesion peel force after activation is sufficient to form a barrier seal against a target surface, said seal exhibiting barrier properties at least as great as those of said sheet of material.
12. (Original) The storage wrap material of Claim 1, wherein both said first side and said second side comprise active sides of said material.
13. (Canceled)
14. (Original) The storage wrap material of Claim 1, wherein said active side includes a pressure sensitive adhesive.
15. (Original) The storage wrap material of Claim 1, wherein said sheet of material comprises a polymeric film material.
16. (Original) The storage wrap material of Claim 15, wherein said polymeric film material is selected from the group consisting of: a substantially translucent polymeric film material and a substantially transparent polymeric film material.
17. (Original) The storage wrap material of Claim 1, wherein said active side comprises a plurality of three dimensional non-adherent protrusions extending outwardly from said sheet of material and a pressure sensitive adhesive surrounding said non-adherent protrusions, said adhesive having a thickness less than the height of said non-adherent protrusions before activation.
18. (Original) The storage wrap material of Claim 1, wherein said sheet of material is clingless and exhibits no adhesion peel force prior to activation by a user.
- Claims 19-40 (Canceled)
41. (Previously Presented) A storage wrap material comprising: a sheet of non-porous material having a first side and a second side, said first side comprising an active side exhibiting an adhesion peel force after activation by a user that is greater than an adhesion peel force exhibited prior to activation by a user, said active side further comprising an adhesive disposed continuously thereon, wherein said sheet of material is linerless, such that activation of said active side requires no removal of components of said sheet of material, said sheet of material being sufficiently flexible to conform readily to a desired surface and having sufficiently small resiliency that it does not exert undue

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

restorative forces that would tend to cause said sheet of material to break contact with such a desired surface.

42. (Original) The storage wrap of Claim 41, wherein said active side is activatable by an externally applied force exerted upon said sheet of material.

43. (Original) The storage wrap of Claim 42, wherein said active side is activatable by a compressive force.

44. (Original) The storage wrap of Claim 43, wherein said compressive force is required to be at least about 0.1 psi to activate said active side.

45. (Original) The storage wrap of Claim 43, wherein said compressive force is exerted in a direction substantially normal to said sheet of material.

46. (Original) The storage wrap of Claim 42, wherein said active side is activatable by a tensile force.

47. (Original) The storage wrap of Claim 46, wherein said tensile force is required to be at least about 0.80 pounds per inch of strip width to activate said active side.

48. (Original) The storage wrap of Claim 46, wherein said tensile force is exerted in a direction substantially parallel to said sheet of material.

49. (Original) The storage wrap material of Claim 41, wherein said active side exhibits an adhesion peel force of at least about 1 ounce per inch width after activation by a user.

50. (Original) The storage wrap material of Claim 41, wherein said active side may be selectively activated in discrete regions by a user.

51. (Original) The storage wrap material of Claim 41, wherein said adhesion peel force after activation is sufficient to form a barrier seal against a target surface, said seal exhibiting barrier properties at least as great as those of said sheet of material.

52. (Original) The storage wrap material of Claim 41, wherein both said first side and said second side comprise active sides of said material.

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

**Claim 53 (Canceled)**

54. (Original) The storage wrap material of Claim 41, wherein said active side includes a pressure sensitive adhesive.

55. (Original) The storage wrap of Claim 41, wherein said sheet of material comprises a polymeric film material.

56. (Original) The storage wrap material of Claim 55, wherein said polymeric film material is selected from the group consisting of: a substantially translucent polymeric film material and a substantially transparent polymeric film material.

57. (Original) The storage wrap material of Claim 41, wherein said active side comprises a plurality of three dimensional non-adherent protrusions extending outwardly from said sheet of material and a pressure sensitive adhesive surrounding said non-adherent protrusions, said adhesive having a thickness less than the height of said non-adherent protrusions before activation.

58. (Original) The storage wrap material of Claim 41, wherein said sheet of material is clingless and exhibits no adhesion peel force prior to activation by a user.

**Claims 59-65 (Canceled)**

66. (Original) A storage wrap material of Claim 41, wherein said active side when activated forms a bond with a target surface, said bond being selected from one or more groups consisting of: a discontinuous bond, a permanent bond, a refastenable bond, a resealable bond and a releasable bond.

**Claims 67-80 (Canceled)**

81. (Previously Presented) A storage wrap material according to Claim 41 wherein the adhesion peel force after activation by a user is sufficient to form a seal against a target surface.

**Claims 82-94 (Canceled)**

95. (Previously Presented) A storage wrap material comprising a sheet of non-porous material having a first side and a second side, substantially all of said first side comprising an active side, said active side comprising an adhesive disposed continuously thereon, said active side exhibiting an adhesion

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

peel force after activation by a user that is greater than an adhesion peel force exhibited prior to said activation by a user, wherein said sheet of material is linerless, such that activation of said active side requires no removal of components of said sheet of material, said sheet being sufficiently flexible to conform readily to a desired surface and having sufficiently small resiliency that it does not exert undue restorative forces that would tend to cause said sheet of material to break contact with such a desired surface.

96. (Original) The storage wrap of Claim 95, wherein said active side is activatable by an externally applied force exerted upon said sheet of material, said externally applied force being selected from one or more of the group consisting of: a compressive force and a tensile force.

97. (Original) The storage wrap material of Claim 95, wherein said active side may be selectively activated in discrete regions by a user.

98. (Original) The storage wrap material of Claim 95, wherein said active side may be activated by compression against a target surface.

99. (Original) The storage wrap material of Claim 95, wherein said adhesion peel force after activation is sufficient to form a barrier seal against a target surface, said seal exhibiting barrier properties at least as great as those of said sheet of material.

100. (Original) The storage wrap material of Claim 95, wherein both said first side and said second side comprise active sides of said material.

101. (Original) A storage wrap material according to Claim 95, wherein said active side when activated forms a bond with a target surface, said bond being selected from one or more of the group consisting of: a discontinuous bond, a permanent bond, a refastenable bond, a resealable bond and a releasable bond.

102. (Original) A storage wrap material according to Claim 95, wherein the adhesion peel force after activation by a user is sufficient to form a seal against a target surface.

103. (Original) A storage wrap material according to Claim 102, wherein the adhesion peel force after activation by a user is sufficient to form a continuous seal against a target surface.

Appl. No. 09/715,586  
Atty. Docket No. 5922R2CL  
Amdt. Dated November 12, 2004  
Reply to Office Action dated August 25, 2004  
Customer No. 27752

104. (Original) The storage wrap of Claim 103, wherein said active side is activatable by an externally applied force exerted upon said sheet of material, said externally applied force being selected from one or more of the group consisting of: a compressive force and a tensile force.

105. (Original) The storage wrap material of Claim 103, wherein said active may be selectively activated in discrete regions by a user.

106. (Original) The storage wrap material of Claim 103, wherein said active side may be activated by compression against a target surface.

107. (Original) The storage wrap material of Claim 103, wherein said adhesion peel force after activation is sufficient to form a barrier seal against a target surface, said seal exhibiting barrier properties at least as great as those of said sheet of material.

108. (Original) The storage wrap material of Claim 103, wherein both said first side and said second side comprise active sides of said material.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**